

Prepared for:
Modist Brewing Co.
505 N 3rd St.
Minneapolis, MN USA 54401

TINT: Max PR THC Seltzer - 5mg

Batch ID or Lot Number: T015	Test: Potency	Reported: 30Dec2022	USDA License: N/A
Matrix: Unit	Test ID: T000231600	Started: 28Dec2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 28Dec2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.190	0.682	ND	ND	# of Servings = 1, Sample Weight=486.5g
Cannabichromenic Acid (CBCA)	0.174	0.624	ND	ND	
Cannabidiol (CBD)	0.752	1.809	ND	ND	
Cannabidiolic Acid (CBDA)	0.771	1.856	ND	ND	
Cannabidivarin (CBDV)	0.178	0.428	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.322	0.774	ND	ND	
Cannabigerol (CBG)	0.108	0.387	ND	ND	
Cannabigerolic Acid (CBGA)	0.451	1.619	ND	ND	
Cannabinol (CBN)	0.141	0.505	ND	ND	
Cannabinolic Acid (CBNA)	0.308	1.105	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.538	1.929	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.488	1.752	5.080	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.433	1.552	ND	ND	
Tetrahydrocannabivarin (THCV)	0.098	0.352	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.382	1.369	ND	ND	
Total Cannabinoids			5.080	0.00	
Total Potential THC			5.080	0.00	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
30Dec2022
10:41:00 AM MST

PREPARED BY / DATE



Sam Smith
30Dec2022
10:43:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/1821fb57-56d2-43d9-bf4c-b4c03468f47f>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
1821fb5756d243d9bf4cb4c03468f47f.1