

Prepared for:
Modist Brewing Co.
505 N 3rd St.
Minneapolis, MN USA 54401


MELT GLL 10mg THC


Batch ID or Lot Number: T043	Test: Potency	Reported: 05Jun2023	USDA License: N/A
Matrix: Unit	Test ID: T000245240	Started: 01Jun2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 01Jun2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.218	0.679	ND	ND	# of Servings = 1, Sample Weight=474g
Cannabichromenic Acid (CBCA)	0.200	0.621	ND	ND	
Cannabidiol (CBD)	0.541	1.703	ND	ND	
Cannabidiolic Acid (CBDA)	0.555	1.746	ND	ND	
Cannabidivarin (CBDV)	0.128	0.403	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.231	0.728	ND	ND	
Cannabigerol (CBG)	0.124	0.385	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.518	1.611	ND	ND	
Cannabinol (CBN)	0.162	0.503	<LOQ	<LOQ	
Cannabinolic Acid (CBNA)	0.354	1.099	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.617	1.919	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.561	1.743	10.730	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.497	1.544	ND	ND	
Tetrahydrocannabivarin (THCV)	0.113	0.351	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.438	1.362	ND	ND	
Total Cannabinoids			10.730	0.00	
Total Potential THC			10.730	0.00	
Total Potential CBD			ND	ND	

Final Approval


PREPARED BY / DATE
Sam Smith
05Jun2023
11:54:00 AM MDT


APPROVED BY / DATE
Karen Winternheimer
05Jun2023
11:57:00 AM MDT



<https://results.botanacor.com/api/v1/coas/uuid/7531d4c7-bc49-4a16-8f4a-275a573650f4>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
7531d4c7bc49a168f4a275a573650f4.1