

Prepared for:
Modist Brewing Co.
505 N 3rd St.
Minneapolis, MN USA 54401

T093-Recirc

Batch ID or Lot Number: T093	Test: Potency	Reported: 07Mar2024	USDA License: N/A
Matrix: Unit	Test ID: T000273271	Started: 07Mar2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 06Mar2024	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.193	0.645	ND	ND	# of Servings = 1, Sample Weight=473g
Cannabichromenic Acid (CBCA)	0.176	0.590	ND	ND	
Cannabidiol (CBD)	0.592	1.711	<LOQ	<LOQ	
Cannabidiolic Acid (CBDA)	0.607	1.755	ND	ND	
Cannabidivarin (CBDV)	0.140	0.405	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.253	0.732	ND	ND	
Cannabigerol (CBG)	0.109	0.366	ND	ND	
Cannabigerolic Acid (CBGA)	0.458	1.530	ND	ND	
Cannabinol (CBN)	0.143	0.477	ND	ND	
Cannabinolic Acid (CBNA)	0.312	1.044	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.545	1.823	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.495	1.655	10.360	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.439	1.467	ND	ND	
Tetrahydrocannabivarin (THCV)	0.100	0.333	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.387	1.294	ND	ND	
Total Cannabinoids			10.360	0.00	
Total Potential THC			10.360	0.00	
Total Potential CBD			0.000	0.00	

Final Approval



Karen Winternheimer
07Mar2024
03:28:00 PM MST

PREPARED BY / DATE



Phillip Travisano
07Mar2024
03:29:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/f6baf3ed-e703-45fb-9413-2c08f475aa71>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
f6baf3ede70345fb94132c08f475aa71.1